



Standard Specifications MARLOW EXPLORER 78 E






CENTERLINE LENGTH (ft/m)	78'2" / 23.83
LENGTH OVERALL (LOA) (ft/m)	82'10" / 25.25
LENGTH WATERLINE (LWL) (ft/m)	71'7" / 21.82
BEAM (ft/m)	20'4" / 6.20
DRAFT (ft/m)	4'10" / 1.47
HEIGHT ABOVE WATER LINE TO RADAR ARCH TOP (ft/m)	18' 2" / 5.54
DISPLACEMENT (APPROX.) (lb/kg)	100,000 / 43,359
FUEL CAPACITY* (gal/lt)	3500 / 13248
WATER CAPACITY* (gal/lt) - Drinking	114 / 432
WATER CAPACITY* (gal/lt) - Domestic	350 / 1325
HOLDING TANK CAPACITY* (gal/lt) - Black	175 / 662
HOLDING TANK CAPACITY* (gal/lt) - Gray	180 / 681
STANDARD POWER	C12 CAT 715MHP
STANDARD GENERATOR	(2) Onan 27.5 KW @ 60 HZ
	(2) Onan 22.5 KW @ 50 HZ



MARLOW EXPLORER 78 E

Marlow Explorer 78E
Profile & Deck Plan





Marlow Explorer 72C & 78E Standard Interior Arrangement

