

MarlowProwler®

375 Open



YOUR NEXT ADVENTURE...

Although the Prowler 375 Open is classified as the Open version she sports a very comfortable interior arrangement tucked under the sleek foredeck. The cockpit features all the tools and toys to allow any water sport activity from fishing to diving, including a refrigerated fish box, arranged tackle center and storage. A carefully designed bait tank doubles as an onboard aquarium if preferred. This low volume, limited production yacht is available with a variety of power options, from twin and triple outboards to twin diesels of up to 500 horsepower each in conventional inboard drive systems. The Marlow Prowler 375 Open is resin infused providing an extremely capable platform. Molded in two major molds with the superstructure tooling producing the entire deck, side decks, foredeck, aft deck, coaming, interior cockpit liner, deck and as a single unit countless seams are eliminated.

Maintaining the design principal of being the most technologically advanced, the Open 375 interior spaces are built using Nida Core Honeycomb, veneered to the highest standard resulting in a significant reduction in total weight. Polymer based honeycomb does not rot, peel or warp, while offering unparalleled strength and zero maintenance. The Marlow Prowler 375 Open delivers spectacular performance and a finer handling yacht cannot be found. In the Diesel Inboard versions, for routine service or checking fluids a simple hatch lid rises on gas cylinders affording access to coolant, lubricants and perfunctory checking. For more serious maintenance on diesel inboard versions, virtually the whole cockpit section rises on electro hydraulic rams, exposing the entire machinery room.

SPECIFICATIONS:

- Length Overall: 37' 6" (11.46m)
- Beam: 11'8" (3.60m)
- Draft: 19" (0.52m)
(Outboard version-Motors down)
- Draft: 2'3" (0.70m)
(Inboard version)
- Water Capacity: 50 US Gallons
- Fuel Capacity: 410 US Gallons
- Estimated Range: 500 miles
- Weight: 12,000 lbs (Outboard version)
- Weight: 14,000 lbs (Inboard version)

Estimated.Cruise Speed:

- Triple 250 E-TEC Evinrudes - 38 mph

Estimated.Top Speed:

- Triple 250 E-TEC Evinrudes - 44 mph

CONSTRUCTION:

- Modified Epoxy Resins
- Vacuum Bagged and Resin Infused Components for Maximum Strength
- Engineered Reinforced Fabrics, Custom Designed Including Carbon Fiber, Kevlar and Specific Axis Orientation of Load Bearing Fibers for Maximum Strength.
- Core Cell Foam Core, Adhesive Bedded.
- Fiber Reinforced Infused Corecell Bulkheads
- Foam Cored Furniture Modules
- Tri-Mold Major Component Assembly
- Molded FRP Grid System Designed by USDDC

STANDARD EQUIPMENT**CONSTRUCTION:**

- Bootstripe, Painted Awlgrip
- Cabin Soles and Bulkheads, Foam-FRP High Pressure Resin Infused
- Epoxy Barrier Undercoat, Three Coat International System
- Five Year Hull Warranty
- Gelcoated Fiberglass Exterior
- Vacuum Bagged and Modified Epoxy Resin Infused Fiberglass Construction
- Hull Structural Grid, FRP Molded and Foam Cored
- Modified Epoxy Hull Lamination
- Carbon Fiber, Kevlar™ and Engineered Fabrics in Lamination Schedule
- Molded Upper and Lower Guard with 316L SS Rubrail
- Corecell™ Foam Cored Hull
- Engineered Composite Monocoque Structure

ENGINES-MECHANICAL:

- Ball Valve on Thru Hulls Below Water Line, Bronze
- Common Drain System to Eliminate Holes in Hull Sides
- Bilge Pump, Manual
- Drip Pans Under Engines, FRP (Inboard)
- Engine Controls - Mechanicals
- Engine Raw Water Sea Chest and Strainer (Inboard)
- Engine Room Faucet, Fresh Water
- Engine Room Awlgrip Finish
- Engine Room Varnished Grating
- Engine Room Sound Insulation (Inboard)
- Exhaust System, Sea Water Cooled, with Muffler (Inboard)
- Flexible Couplings with Matching Engine Mounts (Inboard)
- Fuel Filters, MA Series Racor Water Separators on Engines and Generator
- Fuel Tank, Fiberglass Baffled with Upper & Lower Automatic Self Closing Valves for Sight Gauges
- Propellers, Nickel-Aluminum-Bronze, Dynamically Balanced, S Class (Inboard)
- Rudders, Cast Bronze or Stainless Steel (Inboard)
- Shafts, Aquamet 22HS (Inboard)
- Shaft Logs with Dripless Shaft Seals (Inboard)
- Steering, Hydraulic
- Struts, Bronze with Rubber Bearings• Sole, Engine Room, Teak Slats (Inboard)

ENGINES-MECHANICAL CON'T:

- Marlow Drypoint Engine Ventilation System©(Inboard)

ELECTRICAL SYSTEMS:

- AC/DC Distribution Panels, 12 Volt, 110/220 Volt
- Horn - Electric
- Alternator, Each Engine, 12 Volt
- Alarm Panel, Single Station, with Engine Oil Pressure and Temperature, Bilge Pumps On, Loss of Cooling Water and Engine Room Lights On
- Batteries, with FRP Boxes, Lids and Straps, 2 x 8 D Engine Starting, 2 x 4 D House
- Battery charger, automatic, 12 volt 50 amp
- Battery Condition Indicator
- Battery Switch, Disconnect
- Battery Switch, Emergency Paralleling Switch
- Courtesy Lights, 12 Volt
- Bilge Pumps (3), Automatic, 12 Volt
- Bonding System
- Carbon Monoxide Detectors in Sleeping Areas
- Engine Room Blowers, 12 Volt
- Engine Room Lights, 12 Volt
- Engine Gauges and Instrumentation
- Engine Start/Stop Single Station with Keys
- Fresh Water System, Pressurized, 12 Volt
- Galvanic Isolator
- Helm Outlet, 12 Volt at Each Station
- Holding Tank Discharge Pump 12 Volt
- Indicator Light, Reverse Polarity
- Indicator Light, Holding Tank
- Navigation Lights, 12 Volt
- Outlets, Galley, Engine Room & Heads, GFCI Protection, 120 Volt 60 Hz Boats
- Outlets, Galley, Engine Room & Heads, ELCB Protection, 220 Volt, 50Hz Boats
- Shore Power Inlet Aft, 30 Amp 120 Volts/60 Hz for US, 32 Amp 230 Volts/50Hz for European Boats
- Wiring, Marine-Grade Tin-Plated Copper
- TV/Phone Inlet, Aft
- Telephone Outlets

COMFORT AND CONVENIENCE:

- Air Conditioning and Reverse Cycle
- Water Tanks, Stainless Steel, Polished 316L
- Stereo/CD Player with Speakers & 10 Disc CD Changer

STANDARD EQUIPMENT**COMFORT AND CONVENIENCE CON'T:**

- Tank Gauges for Fuel and Water
- Water Heater 12 Gal, 120 or 220 Volts
- Windshield Wipers/Washers (3), 12 volts with Speed Control, Auto Park and Washer
- Anchor Chain Locker, Self Draining
- Automatic Windlass Hidden in Foredeck Locker
- Anchor Roller Platform, Stainless Steel, Single Stainless Steel Roller
- Anodes, Zinc, Shaft and Hull
- Chocks and Mooring Cleats, Stainless Steel
- Deck Fills: Diesel Fuel/Water and Waste Pump-Out
- Deck Non-Skid, Side & Forward Cabin House Deck with Molded Non-Skid
- Engine Room Vents, Marlow Air Demisters (Inboard)
- Flagstaff Holders, Bow and Stern
- Flagstaffs, Teak, Bow and Stern
- Foredeck Lockers, Port and Starboard
- Fresh Water Faucet, Inside Forward Deck Locker
- Grab Rails, Stainless Steel
- Rubrail, Heavy-Duty 316L Stainless Steel
- Safety Rails, Stainless Steel on Bow
- Skylight Hatches with Screens and Blinds in Cabins
- Toe Rail, Teak
- Trim Tabs (Not on O)
- Vents for Fuel and Water Tanks
- Windlass, Hidden, Chain/Rode 12 Volt
- Windows, Tempered Glass, Flush Installation

COCKPIT/AFT DECK:

- Decking, Teak, Where Applicable, Epoxy Bonded
- Freeing Ports
- Anchor-Plow-S/S
- Fresh Water Wash-Down, Fitting
- Hatches, Teak, Hinged with Gas Cylinder Lift-Ups
- Scuppers, Stainless Steel
- Seat/Storage Box, Molded with Cushions
- Soft Patch for Fuel Tank Inspection, Aft

COCKPIT/AFT DECK CON'T:

- Swim Ladder, Fold-Up, Stainless Steel with Teak
- Swim Platform, FRP and Teak
- Built In Live Well System
- Refrigerated Fishbox
- Matching Non-Refrigerated Fishbox
- Custom tackle Center
- Saltwater Washdown
- Rod Holders
- Transom Shower with Retractable Hose, Hot/Cold Supply
- Electro-Hydraulic Engine Hatch
- Custom Helm Consoles
- Custom Freezer
- Swim Platform

HELM AREA:

- Chart locker
- Companionway Hatch
- Compass, Ritchie
- Electronic Console, FRP with Teak
- Electronic Installation Area, FRP and Teak
- Custom Hardtop Composite
- Access Hatch, hinged with Gas Strut Gaskets
- Fabric for Exterior Seat Cushions, Vinyl, Closed Cell Foam
- Gloss Varnish 10 Coats
- Helm Seat – Marlow Custom or Pompanette
- Settee, L shaped – Closed Cell
- Custom Rod and Tackle Storage Center
- Steering Wheel, S/S, Teak Covered Custom
- Speakers, Waterproof
- Windows, Tempered Glass, Clear Forward, Tinted on Sides

GALLEY:

- Steps, Teak with Non-Skid
- Condiment Locker
- Countertop, Granite or Corian with Back Splash Guard
- Exhaust Blower, 12 Volt
- Faucet, Single Lever Grohe Infinity Series
- Custom Refrigerator/Freezer - Dependent upon Layout
- Sink, Stainless Steel

STANDARD EQUIPMENT**GALLEY CON'T:**

- Microwave Oven - Convection
- Range, Electric - 2 Burner European
- Locker

OWNERS STATEROOM:

- Berth, Queen, Centerline Forward
- Two Bureaus with Drawers
- Hanging Locker with Lined Cedar Wood
- Mattress, 6" Foam, Variable Density
- Mirror, with Teak Frame

HEAD/SHOWER:

- Exhaust Blower, 12 Volt
- Faucet, Single Lever Grohe Infinity
- Mirror, Beveled with Teak Frame
- Stall Shower with Drain Pump, 12 Volt
- Sink, Porcelain Built in Granite or Corian Counter Top
- Toilet, Vacu Flush
- Toilet Paper Holder Grohe
- Towel Rack, Grohe

INTERIOR/OTHER:

- Bulkheads, Formica™ in Selected Areas
- Bulkheads, Teak, Maple or Cherry in Selected Areas
- Schwepper Cabin Doors with Schwepper Lock Sets
- Cabinet Furniture, Teak Faced
- Curtains, Lined with Stainless Steel Curtain Rods
- Drawers, Dovetailed, with Stainless Ball Bearing Drawer Slides
- Fabrics, Soft Goods, Customer Selected from Custom Décor Selection Cooks
- Grab Rails, Teak
- Hardware, Stainless Steel and Chrome
- Headlining, Soft Faux Leather

INTERIOR/OTHER CON'T:

- Hull Ceiling, Teak, Cherry or Maple
- Lighting, Halogen, 12 Volt
- Lights, Cabin Denmark Gold Plated Reading at Berths
- Lockers, with Lamp Push Button Positive Locks
- Outlets, AC
- Portholes, Stainless Steel, CE Approved with FG Trim Rings and Screens
- Sole, Access Hatches
- Sole, Teak & Holly or Teak and Ebony
- Steps with Clear Non-Skid
- Varnish, Satin Marine Varnish
- Joinery, World class quality
- Honeycomb Furniture Modules
- Hi-Lo Table

In our continuing effort to build the world's finest yachts we reserve the right to change equipment at anytime without notice or obligation to incorporate on previous or future models.